




2. DM Floor inspection (평활도, 평탄도)



3동 평면
축척: A3-1/250


FLOOR FLATNESS & LEVELNESS REPORT DM TR34 4th Edition Summary

Required DM	DM1	Wheelbase		
T Levelness (mm):	1.87	Transverse:	1435.0	mm
T Flatness (mm):	1.44	Longitudinal:	2063.0	mm
L Levelness (mm):	2.90			
L Flatness (mm):	1.50			


Max measured error

Aisle name	A1	Max record (mm)	Data Compliance	Length (m)
T Levelness (mm):	0.96	0.96	100.00%	55.80
T Flatness (mm):	0.34	0.34	100.00%	
L Levelness (mm):	2.41	2.41	100.00%	
L Flatness (mm):	1.05	1.05	100.00%	
Aisle name	A2	Max record (mm)	Data Compliance	Length (m)
T Levelness (mm):	1.56	1.56	100.00%	51.90
T Flatness (mm):	0.62	0.62	100.00%	
L Levelness (mm):	2.73	2.73	100.00%	
L Flatness (mm):	1.15	1.15	100.00%	
Aisle name	A3	Max record (mm)	Data Compliance	Length (m)
T Levelness (mm):	1.17	1.17	100.00%	55.80
T Flatness (mm):	0.77	0.77	100.00%	
L Levelness (mm):	2.59	2.59	100.00%	
L Flatness (mm):	1.07	1.07	100.00%	


A1 - Transverse Levelness (dT)




A1 - Longitudinal Levelness (dL)




A1 - Transverse Levelness (dT)



A1 - Longitudinal Levelness (dL)



A1 - Transverse Levelness (dT)



A1 - Longitudinal Levelness (dL)

